SENAMED
Teknik ve Tıbbi Sistemler San. ve Tic. A.Ş.



DERIN-S

Bed Head Unit

DERIN-S, is a bed head unit that adapts to various healthcare environments with its aesthetic design and functionality. It can be configured as single double or tripple channel.

The accessory rail allows for easy placement of different equipment, while its balanced design provides both visual harmony and ease of use. Its customizable structure ensures organized and efficient setup in intensive care units, patient rooms, and other medical areas.



- Single, double or triple compartment options
- Designed according to hygiene standards
- Customizable flexible sizing options
- Compatible with medical products and accessories
- Adaptable to various areas with modular structure
- Customizable color and finish options
- LED Lighting (Direct/Indirect)
- Horizontal or Vertical orientation options

Application Areas

- Operating Room Preparation Areas
- Emergency Service Areas
- Patient Rooms
- VIP Rooms
- Palliative Care Areas
- Clinics and Outpatient Clinics
- Geriatrics and Rehabilitation Centers
- Oncology and Chemotherapy Units
- Maternity Wards and Neonatal Units
- Physical Therapy and Rehabilitation Units

Compatible Accessories

Provides a practical and effective solution for intensive care, patient care and critical areas, offering broad accessory compatibility and a flexible design. This allows the unit to adapt easily to various clinical usage.



Accessory Rail

Rails can be applied in different lengths according to the unit size and positioned optionally at the top, bottom, or both directions. If integration with the unit is not possible, they can be wall-mounted.

Medical Gas Accessories

Medical gas equipment, such as flowmeters and vacuum regulators, can be mounted directly on the gas outlet, or on the accessory rail if the system is equipped with one.

Device Accessories

Various equipment such as monitor stands, device carts, IV poles, and baskets can be easily mounted on the accessory rail, providing organized and accessible use.

Installation Flexibility

All accessories can be mounted on the rail, used with mobile systems, or wall-mounted, providing easy adaptation to various spaces and installation requirements.

MODEL BHU.DRS.A0001.01

General Features

Protection Class	I
IP Rating	IP 20
Voltage	100 / 240V
Frequency	50 / 60 Hz
Operating Temperature	5 °C / 40°C
Storage Temperature	-5°C / 40°C
Relative Humidity	30 - 85 %

Optional Features

Electrical Outlets	Mains Socket, Uninterruptible Power Supply (UPS) Outlet, Grounding Node, Data Socket
Electrical Equipment	The quantity and type are determined based on requirements in accordance with DIN / BS / NF and other standards.
Medical Gas Outlets	Oxygen, Nitrous Oxide, Medical Air, Surgical Air, Vacuum, Carbon Dioxide, Nitrogen + AGSS
Medical Equipment	The quantity and type are determined based on requirements in accordance with DIN / BS / NF and other standards.

Standards

Quality Standards	EN ISO 13485 - EN ISO 9001
Management Standards	93/42 EEC - 2007/42/EC - EN ISO 14971 - EN ISO 15223 - EN 1041+A1
Electrical Standards	EN 60601-1 - EN 60601-1-2 - IEC 62366
Electrical Tests	EMC - LVD
Medical Gas Standards	EN ISO 7396-1 - EN ISO 7396-2 - EN ISO 9170-1

Packaging Information

Packaging Type	Stretch Film and Foam Sheet Roll
Weight	9000 gr

Mechanical Specifications

Material	Aluminum Extrusion Profile
Weight	12,5 kg
Carrying Capacity	Max. 25 kg/m
Recommended Installation Height	1600 mm (from gas outlets)

Dimensions (mm)

Length	1500 / 1800 (default)
Depth	80
Height	245

* Dimensions can be changed upon request.


Product Colors

RAL 9003 RAL 9010 RAL 9013 RAL 6000


* Colors and patterns can be changed upon request.

Technical specifications may change without prior notice. The images are provided as examples and may vary depending on the model.

TECHNICAL DRAWINGS



CONFIGURATIONS



Single Bed
500-2200 mm
BHU.DRS.A0001.01

Double Bed
2000-4400 mm
BHU.DRS.A0002.01

Triple Bed
4000-6000 mm
BHU.DRS.A0003.01

Technical specifications may change without prior notice. The images are provided as examples and may vary depending on the model.



SENAMED
Teknik ve Tıbbi Sistemler San. ve Tic. A.Ş.

CONTACT

+90 533 771 92 03
www.senamed.com.tr
sales@senamed.com.tr
linkedin.com/company/senamedtr/
Köşklü Çeşme Mh. Yeni Bağdat Cd. No:126 Gebze / Kocaeli / TÜRKİYE