SENAMED
Teknik ve Tıbbi Sistemler San. ve Tic. A.Ş.



SOFT V+

Vertical Intensive Care Unit

With its minimal design and vertical form, SOFT V+ blends seamlessly into its application areas, combining the distinctive design of the horizontal SOFT unit with the advantages of vertical use. Its clean aesthetics offer a functional and flexible solution that meets diverse needs in intensive care areas.

Available in single, double, or triple-compartment configurations, SOFT V+ allows a wide range of medical equipment and accessories to be positioned according to needs through its accessory channel, commonly used in pendant systems.




- Single, Double or Triple compartment options
- Pendant & Intensive Care Accessory Compatibility
- Adaptable to various areas with modular structure
- LED Lighting (Direct/Indirect)
- Designed according to hygiene standards
- Customizable color and finish options
- Customizable flexible sizing options

Recommended Applications

- Isolation Rooms and Clinical Rooms
- Operating Room Preparation Areas
- Post-Operative Intensive Care Rooms
- Delivery Rooms and Neonatal Units
- Coronary Care Units (CCU)
- High Dependency Units (HDU)
- Pediatric Intensive Care Units (PICU)
- Emergency Service Observation Rooms
- Geriatrics and Rehabilitation Centers
- Oncology and Chemotherapy Units
- Physical Therapy and Rehabilitation Units

Compatible Accessories

The accessory channel running along the full height of the unit allows equipment and accessories used in pendant systems to be positioned at different points. It provides solutions suited to intensive care needs.



Medical Gas Accessories

Medical gas accessories such as flowmeters and vacuum regulators connect directly to gas outlets, making them ready for use.

Device Accessories

Equipment such as monitor stands, device stands, and IV poles can be mounted to the accessory rail and adjusted horizontally to the desired position.

MODEL	ICU.SFT.A0001.01

General Features

Protection Class	I
IP Rating	IP 20
Mains Voltage	100 / 240V
Mains Frequency	50 / 60 Hz
Operating Temperature	5 °C / 40°C
Storage Temperature	-5°C / 40°C
Relative Humidity	30 - 85 %

Mechanical Features

Mounting Type	Wall Mounting
Accessory Channel	Top, Bottom, or Top + Bottom *(Length adjusted according to unit size)*
Number of Channels	1 – 2 – 3 Channels
Load Capacity	Max. 25 kg
Material	Aluminum Extrusion Profile
Color Options	Customizable according to the RAL color chart and project requirements
Dimensions	Customizable according to ceiling height and project requirements
Recommended Mounting Height	1500–1600 *(from the center of gas outlets)*

Medical Gas Outlets

Medical Gases	Oxygen (O_2) – Nitrous Oxide (N_2O) Medical Air 4Bar (MA4) – Surgical Air 7Bar (SA7) Vacuum (VAC) – Carbon Dioxide (CO_2) Nitrogen (N_2) – Anaesthetic Gas Scavenging System (AGSS)
Gas Outlet Standards	BS - DIN - NF
Gas Purge Options	Venturi / With Pump

Electrical Outlets


Electrical Outlets	Mains Outlet, Uninterruptible Power Supply (UPS) Outlet Grounding Node, Data Outlet (RJ45)
Outlet Standards	Outlet options compliant with different country and regional standards
Number of Outlets	Determined by the application area, project requirements, and specifications.

Standards

Quality Standards	EN ISO 13485 – EN ISO 9001
Management Standards	93/42 EEC – 2007/42/EC – EN ISO 14971 EN ISO 15223 – EN 1041+A1
Electrical Standards	EN 60601-1 – EN 60601-1-2 – IEC 62366
Electrical Tests	EMC - LVD
Medical Gas Standards	EN ISO 7396-1:2016 – EN ISO 7396-2:2013 EN ISO 9170-1:2020 – EN ISO 11197:2020 – HTM-01-02

* Dimensions are provided as standard and can be customized according to the project.
Technical specifications are subject to change without prior notice. Images are for illustrative purposes only and may vary by model.

TECHNICAL DRAWINGS



* Dimensions are provided as standard and can be customized according to the project.
Technical specifications are subject to change without prior notice. Images are for illustrative purposes only and may vary by model.



SENAMED
Teknik ve Tıbbi Sistemler San. ve Tic. A.Ş.

CONTACT

+90 533 771 92 03
www.senamed.com.tr
sales@senamed.com.tr
linkedin.com/company/senamedtr/
Köşklü Çeşme Mh. Yeni Bağdat Cd. No:126 Gebze / Kocaeli / TÜRKİYE